



Aalborg Universitet

**AALBORG UNIVERSITY**  
DENMARK

## **Nanoporous Reduced-Graphene Oxide for Membrane Application**

Shen, Yang; Yue, Yuanzheng; Boffa, Vittorio

*Publication date:*  
2018

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Shen, Y., Yue, Y., & Boffa, V. (2018). *Nanoporous Reduced-Graphene Oxide for Membrane Application*. Poster presented at THE 17TH NORDIC FILTRATION SYMPOSIUM.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

# Nanoporous Reduced-Graphene Oxide for Membrane Application

Yang Shen<sup>\*1</sup>, Vittorio Boffa<sup>1</sup>, Yuanzheng Yue<sup>1,2</sup>

<sup>1</sup>Department of Chemistry and Bioscience, Aalborg University, 9220 Aalborg, Denmark;

<sup>2</sup>State Key Laboratory of Silicate Materials for Architecture, Wuhan University of Technology, 430070 Wuhan, China

\*ysh@bio.aau.dk

## Abstract

Because of the unique and outstanding properties, graphene-based materials in water purification is attracting enormous attention as a new technology or to serve as alternative methods for the existing applications. For free-standing membranes, Graphene Oxide (GO) sheets is arguably the most easily scalable approach among the big graphene-based family. Through modifying the functional groups between the GO layers and modulating the order and disorder structure of GO carbon plane, we can control different sizes and valences ions or molecules to go through the GO membrane.

In this study, we fabricate the nanoporous reduced-GO materials for membrane application. By addition of KOH, GO's multilayers will start to produce nanometer or subnanometer pores at high temperature. When the amount of pores reaches a certain number, this process will lead to the special channels formation in GO for water molecules to go through and blocking some big size pollutants. DSC-TGA are carried out to understand the kinetics and chemical mechanisms between GO and KOH. BET and SEM are used in order to characterize the pores' properties.




Fig 1. Illustration of water permeating through nanoporous reduced-GO.

---

How do you wish to present your research results?

☐ Oral presentation      ☒ Poster presentation

**Please send this document to [NOFS17@aaubio.dk](mailto:NOFS17@aaubio.dk) until April 10, 2018.**